

Certificate of Registration of Environmental Management System to I.S. EN ISO 14001:2015


EQA (Ireland) Limited certifies that

Humanscale International Holdings Ltd

IDA Industrial Estate
Poppintree
Finglas
Dublin 11

has been assessed and is in compliance with the provisions of the above standard in respect of the scope of operations listed below and is hereby included in the EQA directory of certificated organisations

Manufacture, Marketing and Distribution of Office seating, Ergonomic and computer ancillary products and Healthcare products

Signed:  DIRECTOR

DATE: 11th November 2020

on behalf of EQA (Ireland) Limited

Registration Number **E2935** valid until **21st August 2023**

Date of initial award of certification: 8th April 2008
Date of Re-certification audit: 27th October 2020
Date of renewal of certification: 11th November 2020
Date of expiry of previous certification: 21st August 2020

and is issued subject to the regulations, and within the accredited scope, of

EQA (Ireland) Limited
Office A, 2nd Floor
Citywest Shopping Centre
Citywest Business Park
Dublin 24
Ireland

Email: info@eqa.ie



Certificate of Registration of Quality Management System to

I.S. EN ISO 9001:2015

EQA (Ireland) Limited certifies that

Humanscale International Holdings Ltd

IDA Industrial Estate
Poppintree
Finglas
Dublin 11

has been assessed and is in compliance with the provisions of the above standard in respect of the scope of operations listed below and is hereby included in the EQA directory of certificated organisations

Manufacture, Marketing and Distribution of Office seating, Ergonomic and computer ancillary products and Healthcare products

Signed:

DIRECTOR

DATE: 11th November 2020

on behalf of EQA (Ireland) Limited

Registration Number **Q2935** valid until **21st August 2023**

Date of initial award of certification: 9th December 2002

Date of Re-certification audit: 27th October 2020

Date of renewal of certification: 11th November 2020

Date of expiry of previous certification: 21st August 2020

and is issued subject to the regulations, and within the accredited scope, of

EQA (Ireland) Limited
Office A, 2nd Floor
Citywest Shopping Centre
Citywest Business Park
Dublin 24
Ireland

Email: info@eqa.ie





firainternational
ergonomics excellence

M2.1 Monitor Arm Range

MANUFACTURED BY

Humanscale

have undergone extensive testing for the ergonomics, structural and safety requirements of the appropriate British and European standards and FIRA International specifications.

In addition to fully satisfying these standards, has exhibited excellent ergonomics features.

WE ARE PLEASED TO PRESENT THE
**FIRA ERGONOMICS
EXCELLENCE AWARD**
FOR MONITOR ARMS

SIGNED FOR AND ON BEHALF OF
ERGONOMICS UNIT - FIRA INTERNATIONAL LTD

LEVENT CAGLAR
SENIOR ERGONOMIST

04/11/2021

*This certificate is valid for three years from the above date



firainternational

ergonomics excellence

TERMS AND CONDITIONS FOR TEST CERTIFICATES

1. This certificate relates to test reports and evaluations of samples of the product(s) defined overleaf and no others. Samples were provided by others unless indicated in the report.
2. This certificate and the associated test report, are only valid in their original forms and only when issued by FIRA International Limited.
3. This certificate and also those apply to associated test reports are subject to Terms and Conditions for Testing and Consultancy Services of FIRA International Limited.
4. Further information on the product test methods, specifications used, test results and evaluation are given in the test reports which are an integral part of the certificate.
5. Any changes in materials, processes or design, will invalidate this certificate and will require samples to be resubmitted for test.
6. Any wording used to promote products as a result of this certificate must be submitted to FIRA International Limited for approval, giving sufficient time to allow for clearance in writing.
7. It should be understood that tests intended to demonstrate the ability of the item to perform satisfactorily in its intended environment do not ensure that failure will not eventually occur as a result of habitual misuse or after a long period of service.
8. This certificate does not represent a guarantee of compliance with the General Product Safety Regulations or other legislative requirements.

firainternational

THIS CERTIFICATE CONFIRMS THAT THE

M2.1 Monitor Arm Range

MANUFACTURED BY

Humanscale


Conforms with the BS EN ISO 9241, 1999: Ergonomic requirements for office work with visual display terminals (VDT's);
Part 5: Workstation layout and postural requirements.

This summary certificate is based on evidence of satisfactorily passing further tests required by standards referred to in the BS EN ISO 9241, Part 5 and additional ergonomics testing and evaluation carried out by FIRA Ergonomics Unit.

This M2.1 Monitor Arm Range is considered to be capable of meeting the minimum requirements as stated in the Annex of the European Commission's Display Screen Equipment (DSE) Directive (90/270/EEC) and the minimum requirements as stated in the Schedule of the Health and Safety (Display Screen Equipment) Regulations, 1992 as amended by the Health and Safety Regulations 2002. Therefore, the M2.1 Monitor Arm Range is suitable for use at DSE workstations

For full details please refer to the evaluation report, (ref: 0821/HUMA/02/HD).

SIGNATURE:



POSITION Levent Çağlar, Senior Ergonomist

CERTIFICATE ISSUE DATE: 04 November 2021

EXPIRY DATE: 03 November 2024

FOR AND ON BEHALF OF FIRA INTERNATIONAL LIMITED

This certificate only relates to the sample(s) supplied and tested at the time. Re-testing at intervals is recommended and should be subject to agreement between the supplier and the purchaser.

TERMS AND CONDITIONS FOR TEST CERTIFICATES

1. This certificate relates to test reports and evaluations of samples of the product(s) defined overleaf and no others. Samples were provided by others unless indicated in the report.
2. This certificate and the associated test report, are only valid in their original forms and only when issued by FIRA International Limited.
3. This certificate and also those apply to associated test reports are subject to Terms and Conditions for Testing and Consultancy Services of FIRA International Limited.
4. Further information on the product test methods, specifications used, test results and evaluation are given in the test reports which are an integral part of the certificate.
5. Any changes in materials, processes or design, will invalidate this certificate and will require samples to be resubmitted for test.
6. Any wording used to promote products as a result of this certificate must be submitted to FIRA International Limited for approval, giving sufficient time to allow for clearance in writing.
7. It should be understood that tests intended to demonstrate the ability of the item to perform satisfactorily in its intended environment do not ensure that failure will not eventually occur as a result of habitual misuse or after a long period of service.
8. This certificate does not represent a guarantee of compliance with the General Product Safety Regulations or other legislative requirements.



firainternational
ergonomics excellence

M8.1 Monitor Arm Range

MANUFACTURED BY

Humanscale

have undergone extensive testing for the ergonomics, structural and safety requirements of the appropriate British and European standards and FIRA International specifications.

In addition to fully satisfying these standards, has exhibited excellent ergonomics features.

WE ARE PLEASED TO PRESENT THE
**FIRA ERGONOMICS
EXCELLENCE AWARD**
FOR MONITOR ARMS

SIGNED FOR AND ON BEHALF OF
ERGONOMICS UNIT - FIRA INTERNATIONAL LTD

LEVENT CA GLAR
SENIOR ER GONOMIS T

04/11/2021

*This certificate is valid for three years from the above date



firainternational

ergonomics excellence

TERMS AND CONDITIONS FOR TEST CERTIFICATES

1. This certificate relates to test reports and evaluations of samples of the product(s) defined overleaf and no others. Samples were provided by others unless indicated in the report.
2. This certificate and the associated test report, are only valid in their original forms and only when issued by FIRA International Limited.
3. This certificate and also those apply to associated test reports are subject to Terms and Conditions for Testing and Consultancy Services of FIRA International Limited.
4. Further information on the product test methods, specifications used, test results and evaluation are given in the test reports which are an integral part of the certificate.
5. Any changes in materials, processes or design, will invalidate this certificate and will require samples to be resubmitted for test.
6. Any wording used to promote products as a result of this certificate must be submitted to FIRA International Limited for approval, giving sufficient time to allow for clearance in writing.
7. It should be understood that tests intended to demonstrate the ability of the item to perform satisfactorily in its intended environment do not ensure that failure will not eventually occur as a result of habitual misuse or after a long period of service.
8. This certificate does not represent a guarantee of compliance with the General Product Safety Regulations or other legislative requirements.



THIS CERTIFICATE CONFIRMS THAT THE

M8.1 Monitor Arm Range

MANUFACTURED BY

Humanscale

Conforms with the BS EN ISO 9241, 1999: Ergonomic requirements for office work with visual display terminals (VDT's);
Part 5: Workstation layout and postural requirements.

This summary certificate is based on evidence of satisfactorily passing further tests required by standards referred to in the BS EN ISO 9241, Part 5 and additional ergonomics testing and evaluation carried out by FIRA Ergonomics Unit.

This M8.1 Monitor Arm Range is considered to be capable of meeting the minimum requirements as stated in the Annex of the European Commission's Display Screen Equipment (DSE) Directive (90/270/EEC) and the minimum requirements as stated in the Schedule of the Health and Safety (Display Screen Equipment) Regulations, 1992 as amended by the Health and Safety Regulations 2002. Therefore, the M8.1 Monitor Arm Range is suitable for use at DSE workstations

For full details please refer to the evaluation report, (ref: 0821/HUMA/03/HD).

SIGNATURE:

POSITION Levent Çağlar, Senior Ergonomist

CERTIFICATE ISSUE DATE: 04 November 2021

EXPIRY DATE: 03 November 2024

FOR AND ON BEHALF OF FIRA INTERNATIONAL LIMITED

This certificate only relates to the sample(s) supplied and tested at the time. Re-testing at intervals is recommended and should be subject to agreement between the supplier and the purchaser.

TERMS AND CONDITIONS FOR TEST CERTIFICATES

1. This certificate relates to test reports and evaluations of samples of the product(s) defined overleaf and no others. Samples were provided by others unless indicated in the report.
2. This certificate and the associated test report, are only valid in their original forms and only when issued by FIRA International Limited.
3. This certificate and also those apply to associated test reports are subject to Terms and Conditions for Testing and Consultancy Services of FIRA International Limited.
4. Further information on the product test methods, specifications used, test results and evaluation are given in the test reports which are an integral part of the certificate.
5. Any changes in materials, processes or design, will invalidate this certificate and will require samples to be resubmitted for test.
6. Any wording used to promote products as a result of this certificate must be submitted to FIRA International Limited for approval, giving sufficient time to allow for clearance in writing.
7. It should be understood that tests intended to demonstrate the ability of the item to perform satisfactorily in its intended environment do not ensure that failure will not eventually occur as a result of habitual misuse or after a long period of service.
8. This certificate does not represent a guarantee of compliance with the General Product Safety Regulations or other legislative requirements.

TEST CERTIFICATE - ERGONOMICS UNIT

firainternational

THIS CERTIFICATE CONFIRMS THAT THE

M10 Monitor Arm

MANUFACTURED BY

Humanscale International


Conforms with the BS EN ISO 9241, 1999: Ergonomic requirements for office work with visual display terminals (VDT's);
Part 5: Workstation layout and postural requirements.

This summary certificate is based on evidence of satisfactorily passing further tests required by standards referred to in the BS EN ISO 9241, Part 5 and additional ergonomics testing and evaluation carried out by FIRA Ergonomics Unit.

This Seasa™ Monitor Arm Range is considered to be capable of meeting the minimum requirements as stated in the Annex of the European Commission's Display Screen Equipment (DSE) Directive (90/270/EEC) and the minimum requirements as stated in the Schedule of the Health and Safety (Display Screen Equipment) Regulations, 1992 as amended by the Health and Safety Regulations 2002. Therefore, the Seasa™ Monitor Arm Range is suitable for use at DSE workstations

For full details please refer to the evaluation report, (ref: 0422/HUMA/01/JW).

SIGNATURE:



POSITION Levent Çağlar, Senior Ergonomist

CERTIFICATE ISSUE DATE: 26 August 2022

EXPIRY DATE: 25 August 2025

FOR AND ON BEHALF OF FIRA INTERNATIONAL LIMITED

This certificate only relates to the sample(s) supplied and tested at the time. Re-testing at intervals is recommended and should be subject to agreement between the supplier and the purchaser.

TERMS AND CONDITIONS FOR TEST CERTIFICATES

1. This certificate relates to test reports and evaluations of samples of the product(s) defined overleaf and no others. Samples were provided by others unless indicated in the report.
2. This certificate and the associated test report, are only valid in their original forms and only when issued by FIRA International Limited.
3. This certificate and also those apply to associated test reports are subject to Terms and Conditions for Testing and Consultancy Services of FIRA International Limited.
4. Further information on the product test methods, specifications used, test results and evaluation are given in the test reports which are an integral part of the certificate.
5. Any changes in materials, processes or design, will invalidate this certificate and will require samples to be resubmitted for test.
6. Any wording used to promote products as a result of this certificate must be submitted to FIRA International Limited for approval, giving sufficient time to allow for clearance in writing.
7. It should be understood that tests intended to demonstrate the ability of the item to perform satisfactorily in its intended environment do not ensure that failure will not eventually occur as a result of habitual misuse or after a long period of service.
8. This certificate does not represent a guarantee of compliance with the General Product Safety Regulations or other legislative requirements.



firainternational
ergonomics excellence

M10 Monitor Arm

MANUFACTURED BY

HUMANSCALE INTERNATIONAL

have undergone extensive testing for the ergonomics, structural and safety requirements of the appropriate British and European standards and FIRA International specifications.

**In addition to fully satisfying these standards,
has exhibited excellent ergonomics features.**

WE ARE PLEASED TO PRESENT THE
**FIRA ERGONOMICS
EXCELLENCE AWARD**
FOR OFFICE CHAIRS

SIGNED FOR AND ON BEHALF OF
ERGONOMICS UNIT - FIRA INTERNATIONAL LTD

LEVENT CAGLAR
SENIOR ERGONOMIST

04/11/2021

*This certificate is valid for three years from the above date



firainternational

ergonomics excellence

TERMS AND CONDITIONS FOR TEST CERTIFICATES

1. This certificate relates to test reports and evaluations of samples of the product(s) defined overleaf and no others. Samples were provided by others unless indicated in the report.
2. This certificate and the associated test report, are only valid in their original forms and only when issued by FIRA International Limited.
3. This certificate and also those apply to associated test reports are subject to Terms and Conditions for Testing and Consultancy Services of FIRA International Limited.
4. Further information on the product test methods, specifications used, test results and evaluation are given in the test reports which are an integral part of the certificate.
5. Any changes in materials, processes or design, will invalidate this certificate and will require samples to be resubmitted for test.
6. Any wording used to promote products as a result of this certificate must be submitted to FIRA International Limited for approval, giving sufficient time to allow for clearance in writing.
7. It should be understood that tests intended to demonstrate the ability of the item to perform satisfactorily in its intended environment do not ensure that failure will not eventually occur as a result of habitual misuse or after a long period of service.
8. This certificate does not represent a guarantee of compliance with the General Product Safety Regulations or other legislative requirements.